BILLING SCHEDULE

Meter Reading: 3rd week of each month Bills mailed: before 1st of each month

Due Date: 15th of each month (unless Saturday, Sunday or

Holiday-then due date is following business day)

Penalty: 10% penalty is applied if payment is not

received in our office by due date due on the 28th of each month

Delinquent Bills: due on the 28th of each month

Shut-Off: ANYTIME after account becomes

Delinquent

ALL PAST DUE BALANCES ARE SUBJECT TO SHUT OFF REGARDLESS OF DUE DATE FOR

CURRENT CHARGES

NO EXTENSIONS WILL BE GRANTED

PCWW NOT RESPONSIBLE FOR LATE OR LOST MAIL

The Water office will no longer accept postmark dates on an envelope as evidence of a timely payment. Failure to receive a bill does not excuse penalties or charges against a customer's account.

Online Banking: If your bank offers on-line banking, you can add your Water Bill to your PayList. Be sure to include your account number so it will show on the check. Payment must be received by the 15th of the month to avoid penalty; allow time for mail delivery, as we do not have electronic banking.

<u>DISCONNECTION OF SERVICE</u> - If service is disconnected for nonpayment, <u>THE ACCOUNT BALANCE PLUS TURN ON & OFF FEE</u> - \$30 each- must be paid by cash or money order. <u>A security deposit</u> may also be required. <u>By-Laws Section 101.04(F)</u>

Any Unauthorized Use of Service after a disconnect will result in a \$200.00 fee. By-laws Section 101.04(c).

Signature

If the need for repairs/replacement of meters owned by the City is caused by, without limitation, freezing, hot water, neglect or malicious damage, a charge based on average costs will be made for the repair or replacement of the meter. (By-laws 201.08) As stated in our Water By-laws Section 201.14(C & D) this also applies to radio transmitters and meter pits.

Billing and Service inquiries, please call 419-734-5522 or email

pccityhall@portclinton-oh.gov

VISIT THE CITY'S WEBSITE: portclinton.com to view bills & pay by credit card or to download forms & reports

HIGH USAGE?

Check ALL toilets and faucets. Leaky toilets and faucets are some of the biggest causes of wasted water resulting in large water bills. All fittings to sinks, hot water tanks, washers, toilets, dishwashers, etc., should be dry. Also, check outside faucets that may have been accidently turned on. Monitor usage on your monthly water bill.

Did You Know...

That a continuous leak from a hole this size, at 60 psi water pressure over a 3-month period would waste water in the amounts shown:

\$40 FEE FOR RETURNED OR CANCELED CHECKS/ACH WITHDRAW

METER OF STREAM		GALLONS	CC	<u>F</u>
1/	/4"	1,181,500	= 1,	.580
3,	/16"	666,000	=	890
1	/8"	296,000	=	395
• 1	/16"	74,000	=	99

SEWER DEDUCTING METER PROGRAM

To participate, each household will be billed a one-time, non-refundable \$25.00 fee per meter. The meter must be brought to the Water Office on or before first use in the Spring, each year to participate in the program and then on or before October 31st of each year to be read in order for the credit to be provided on the December water bill. The sewer deducting meter program will credit only the sewer portion of the bill. It is strongly recommended that meters be stored indoors to prevent freezing. Call for details on Commercial Program.

AUTO WITHDRAWAL	ONLINE PAYMENT	NIGHT DEPOSIT BOX	PAY BY MAIL	PAY IN PERSON
From your checking or	Credit card payments can	24-hour Drop box is	Send check and	Cash, personal check,
savings account:	be made by visiting	located at:	payment stub to:	bank check, money
Download the	www.portclinton.com	City Hall		order, or credit card
Authorization for		1868 E Perry St:	PCWW	accepted at:
Automated Bill	A nominal fee will be	Please include your	1868 E Perry St.	City Hall
Payment form at	charged	payment stub.	Port Clinton, OH	1868 E Perry St.
www.portclinton.com			43452	Port Clinton. Oh 43452

Please Make Any Corrections Below:	Please check one:		
riedse ividke Any Corrections below.	Update Owner's permanent address Update Mailing address on		
	<u> </u>		
	<u> </u>		
ne Number			

Date